2304 Bedok Reservoir Road, Bedok Industrial Park C, Singapore 479223

Tel: (65) 64442678 Fax: (65) 67437172

Email: marketing@douyee.com.sg Website: www.douyee.com

## **Product Data Sheet**

## PRODUCT CODE / PART NUMBER: DY6008-HS-354C-NAVY BLUE-35M-PU/PU-S1 SRC-SIZE



**PRODUCT:** Static Dissipative Safety Sneaker, Navy Blue

**BRAND NAME: EUROSTAT®** 

## **FEATURES:**

This safety sneaker is made of Navy Blue Microfiber PU, Mesh Lining, Hi-Poly Insole, PU Midsole, PU Outsole and Composite Toe Cap.

- 200J Impact Resistance
- 15KN Compression Resistance
- Light Weight, Excellent Comfort
- Resistant to Oil and Most Chemicals
- Non-Marking and Slip Resistant Outsole (SRC)





## **Specifications**

Item	Properties / Typical Values	Test Method					
Materials	Upper : Navy Blue Microfiber PU						
	Toe Cap : Composite						
	Midsole : Static Dissipative PU						
	Outsole : Static Dissipative PU						
Footwear only Resistance	$< 1.0 \times 10^{9} \text{ ohms}$	ANSI/ESD STM9.1					
Footwear System Resistance	$< 3.5 \times 10^7 \text{ ohms}$	ANSI/ESD STM9.1					
Electrical System Resistance of a person wearing footwear while standing on conductive flooring	$< 3.5 \times 10^7 \text{ ohms}$	ANSI/ESD STM97.1					
Color	Upper : Navy Blue Midsole : White						
	Outsole : Grey						
Sizes (European)	36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46 & 47						
Conformity	<ol> <li>The safety footwear detailed herein meets the criteria of an EC Type Examination accordance with Article 10 of the PPE Directive (89/686/EEC) including amendment and corrigendum up to 14/12/2010 for intermediate design category products. This has been shown through satisfactory testing to EN ISO 20345:2011 and examination of the Technical File Documentation (Category: S1 SRC)</li> <li>SNI 7079-2009 (NPB 104-116-170603)</li> <li>CNS 20345: 2015 (R3B081)</li> </ol>						

PU OUTSOLE (#070)	COMPOSITE TOE CAP

Size	36	37	38	39	40	41	42	43	44	45	46	47
Average weight per	763	809	847	898	933	967	1025	1058	1092	1132	1177	1217

The values shown above were developed from random samples taken from production material. To the best of our knowledge, we believe them to be typical for the product. However actual values may vary somewhat from those depicted here and Dou Yee Enterprises makes no warranty, expressed or implied, as to the suitability of these materials for any specific use. Customers should determine product suitability based upon their own internal criteria.

Date: 2020 / 2021