

PRODUCT NUMBER: 2232523 SHARPFLEX PU

Handling of heavy parts with high cut risks in dry or slighly greasy environment.

Honeywell

Q

Overview			
Reference Number 2232523			
Product Type Gloves			
Range cutandpunctureprotection			
Line Cut resistant			
Brand Honeywell			
Brand formerly known as SPERIAN			
Industry			
Automotive and Part ManufacturerLogistics	Aviation	Building and Construction	 Iron and steel industry

Product Use

Handling of heavy parts with high cut risks in dry or slighly greasy environment.

Features & Benefits

Feature

Knitted glove in composite and para-aramid yarn

Benefit

The knitting technique provides the glove with excellent fit and high dexterity.

The composite yarn is reliable and safe protection.

The para-aramid yarn assure a resistance to cut risks.

Feature

Plated polyamide inside

Benefit

Sharpflex PU - 2232523

Offer a greater comfort and limit the contact of the skin with composite fiber

Feature

Black PU coating on palm.

Benefit

Increase the abrasion resistance and allows to use in slighy greasy environements.

Technical Description

Description

CE CATEGORY : II Intermediary risks In accordance with standards : EN 420-03 EEC Basic standards EN 388-03 Mechanical hazards

CHARACTERISTICS :Knitted glove in composite and para-aramid yarn. Plated polyamide. Black PU coating on palm.

Product Technology Knitted dipped

Fiber

Para-aramid and composite

Gauge 13

Glove/liner color Yellow and green

Coating Type Polyurethane

Coating Color black

Length 25 cm

Harmlessness In conformity with the European standards

Dexterity Class 5

Sizes

7 to 11

EN 388 - Mechanical Hazards Abrasion Resistance

Abrasion resistance	4
Cutting resistance (Coupe test)	Х
Tear resistance	4
Puncture resistance	1
Cutting resistance (TDM test)	С

Certifications

EC Category PPE 2 EC Certificate Number 0075/797/162/05/18/0793

EC Attestation

Additional Information

User Manual UI 202

Maintenance

Storage Information Minimum packaging 10 pairs. Cartons of 100 pairs.

Care Instructions This article can be cleaned. For cleaning instructions please contact Honeywell safety products

Honeywell International Inc.