

## VENICUT5M



1 HEATNOCUT® KNITTED SLEEVE - 45 CM

Ref. VECUT5M\_



### Product specifications

HEATnocut® high performance polyethylene fibre. Knitted sleeve with thumbhole. Length 45 cm. Gauge 13.

HEATnocut® fibre (high performance synthetic fibres).

#### COLOUR

Yellow-Grey

#### SIZE

One size

## Product Use - Risks



Heat



Cutting / Perforation



Wearing



Construction / Civil engineering



Second work / craftman



Heavy industry



Light industry



Hygiene environment



Oil / Gas



Mining



Wind energy

## Product's highlights & user's benefits



HEATnocut® High Performance Polyethylene

Contact heat (100°C for 15 seconds), and cut resistant  
Very good level of abrasion resistance

Food compatibility



Cut level 5



Cut level C

## Certifications and Standards



### REGULATION (EU) 2016/425

#### EN420:2003+A1:2009 General requirements

5: Dexterity (from 1 to 5)

#### EN388:2016 Protective gloves against mechanical Risks (Levels obtained on the palm)

3: Resistance to abrasion (from 1 to 4)

X: Resistance to cutting (from 1 to 5)

4: Resistance to tear (from 1 to 4)

X: Resistance to puncture (1 to 4)

C: Resistance to cutting by sharp objects (TDM EN ISO 13997) (from A to F)



#### EN407:2004 Protective gloves against Heat & Fire risks (X = Unrealized test)

X: Resistance to flammability (from 1 to 4)

1: Resistance to contact heat (from 1 to 4)

X: Resistance to convective heat (from 1 to 4)

X: Resistance to radiant heat (from 1 to 4)

X: Resistance to small projections of liquid metal (from 1 to 4)

X: Resistance to large projections of molten metal (from 1 to 4)



### REGULATION (EU) 1935/2004 CONTACT WITH FOOD PRODUCTS

#### GLOB MIGR Food contact - Overall Migration

.. Contact with wet or watery food

.. Contact with fatty foods

.. Contact with acidic foods

### USA STANDARDS



#### ANSI-ISEA 105:2016 Hand protection

A2: Resistance to cutting by sharp objects (from A1 to A9)

## References

References	Bar code	COLOUR	SIZE		
VE CUT5M	3295249157418	Yellow-Grey	One size	60	12