

**EOS VV900 JA**



GLOVE WITH PU/POLYAMIDE PALM + DOTS - POLYESTER/PU BACK - BACK REINFORCEMENTS

Ref. VV900



#### Product specifications

Polyester/polyurethane back. PVC reinforcements. Polyamide/polyurethane palm with PVC dots. Kevlar® seams. 8 cm cuff in neoprene.

Palm: Polyamide/ polyurethane microfibre.

Dots: PVC.

Back: Polyester/ polyurethane knit.

Back reinforcement: PVC.

Wrist: Neoprene.

#### COLOUR

Yellow-Grey-Black

#### SIZE

08, 09, 10, 11, 12

## Product Use - Risks



Cutting / Perforation



Wearing



Shock



Construction / Civil engineering



Second work / craftsman



Heavy industry



Services / Logistics



Oil / Gas

## Product's highlights & user's benefits



Double layer of polyamide/ polyurethane on palm with non-slip PVC dots

Longer life due to its very good abrasion resistance  
Good grip of handled objects



Flexible reinforcements

Increased protection from impacts and pinches



Reinforcement between the thumb and index finger and on the palm.

Increased lifespan



Identification badge  
Belt attachment



Available only with header card

Protection of the metacarpal area against low energy shocks <2J

8 cm cuff in neoprene

Good glove retention for high security

Velcro closure

Perfect adjustment  
Reduced discomfort at the wrist, during prolonged use

Yellow colour

Easy visual identification at the workstation



Cut level B



Cut level 2

## Certifications and Standards



REGULATION (EU) 2016/425

EN420:2003+A1:2009 General requirements

3: Dexterity (from 1 to 5)

EN388:2016 Protective gloves against mechanical Risks (Levels obtained on the palm)

3: Resistance to abrasion (from 1 to 4)

2: Resistance to cutting (from 1 to 5)

3: Resistance to tear (from 1 to 4)

3: Resistance to puncture (1 to 4)

B: Resistance to cutting by sharp objects (TDM EN ISO 13997) (from A to F)

P: Protection against impact in metacarpal area (P) (EN13594:2002 6.8.2)



## USA STANDARDS



ANSI-ISEA 105:2016 Hand protection

A2: Resistance to cutting by sharp objects (from A1 to A9)

## References

References	Bar code	COLOUR	SIZE		
VV900JA08	3295249176518	Yellow-Grey-Black	08	60	12
VV900JA09	3295249174064	Yellow-Grey-Black	09	60	12
VV900JA10	3295249174071	Yellow-Grey-Black	10	60	12
VV900JA11	3295249174088	Yellow-Grey-Black	11	60	12
VV900JA12	3295249196004	Yellow-Grey-Black	12	60	12