



Honeywell Titan™ HD
1Point Harness – H Design®
New Feeling of Safety!

Honeywell Titan™ HD 1Point Harness – H Design®

New Feeling of Safety!

The Honeywell H-Design® harnesses are the new generation of harnesses dedicated to construction and general industry sectors providing the highest standard of safety to workers. Its brand new innovative and ergonomically defined H-architecture has been specially designed to provide a unique comfort and freedom of movement to users to let them concentrate on their job and do great work at height.

FEATURE & BENEFITS:

Comfort and freedom of movement

- Exclusive H Architecture of the harness, thanks to its ergonomically placed webbing, providing a total freedom of movement for the arms.
- Horizontal leg straps preventing uncomfortable friction on the legs and on the groin v/s traditional leg straps increasing comfort for the user during work.

Easy and quick adjustability & connection

- Easy to access and adjust buckles: Intuitive movement up to down.
- Very accessible anchor points: Bigger Back D-ring for easy Rescue Operations.
- Adjustable chest strap with mating buckles for a perfect fit in height and width.
- Adjustable leg straps with mating buckles.
- Easy front strap clip.

Standards/regulations

- EN 361 - Safety Harness.

Greater safety and easier traceability

- Fluro - Orange textile, high visible stitching, back fall indicators to facilitate visual inspection before working.
- Sealed labels improving yearly checking follow-up for a better traceability.
- Fall Indicator feature for better and easy visual periodical inspection.

Bigger Back D Ring

Easyconnection and facilitates Easy rescue operation



Fall indicator

Indicates the fitness of the harness and facilitates easy periodical inspections



Friction - Mating Buckles

Easy to adjust, non slip design



Anchorage Hanging Rings

Attach lanyard when not in use to avoid tripping hazard



Sealed Label Cover

Protects the product from UV, dust and external wear and tear



SIZES		WEIGHT		PACKAGING	
	SMALL - MEDIUM LARGE - XL		1.2Kg		5 PCS/CARTON

H Design® Harness								
SKU	Standard	Back D Ring	Fall Indicator	Chest Strap Buckles	Shoulder Strap Buckles	Leg Strap Buckles	Lanyard Hanging Rings	Harness Design
EH10001	EN 361 CE	YES	YES	MATING	MATING	MATING	YES	H Design®
EH10001-L								HON Patented Design

Honeywell Titan™ Shock Absorber

New Feeling of Safety!

Pack-Type Shock-Absorbing Lanyards include the shock-absorber pack as an integral part of a standard lanyard. In the event of a fall, the pack expands, reducing fall forces while a back-up safety strap deploys for added fall protection.



KEY FEATURES

Shock Absorber pack is designed with a specially-woven inner core that smoothly expands reducing fall arrest forces.

Rebar Hook

Auto Lock Galvanized Steel 57mm opening scaffolding hooks with Nikel Plating



Reinforced Webbing Protection

Extra Polyester cover reinforced to ends avoid wear



Polyester Webbing

New Vibrant Hi - Viz 45mm webbing to avoid entanglements



Karabiner Hook

Screw Lock Galvanized Steel 17mm opening karabiner hooks



Shock Absorber

Heated Treated shrink packed transparent cover shock absorber



Product Label

UV Protected Labels which withstands hard environmental conditons



TECHNICAL SPECIFICATIONS

- Working Length: 6 ft.
- Extended Fall Length: 4 ft.
- Weight Capacity: 310 lb.
- Number of Legs: 2
- Line Material: Polyester
- Hardware Material: Steel
- HI-Viz Orange
- Strap Width: 45mm*
- Visual Load Indicator: Yes
- Locking Anchorage Connection Hook Type: Rebar
- Anchorage Hook Gate Opening: 17mm
- Locking Harness Connection Hook Type: Karabiner
- Harness Hook Gate Opening: 57mm
- Tensile Strength: 5000 lb.
- Standards: EN354, EN355, EN362

SIZES		WEIGHT		PACKAGING	
	6 FT (1.8M) Length		1.5Kg		5 PCS/CARTON

Shock Absorbing Lanyard				
SKU	Number of Legs	Harness Connection	Anchorage Connection	Standard Length
EL20001	2	Karabiner Hook	Rebar Hooks	6ft. (1.8m)

Honeywell Titan™ Tool/Carry Bag

New Feeling of Safety!



Carry Handle

High Strength handle with reinforced stitching



Polyester Bag

High Quality polyester bag carries upto 5 kg



Velcro Patch

2 High Quality Velcro patch to support the weight



Tool Bag Handle

2 Tool bag handles attached to the bag for greater strength and stability



Honeywell Industrial Safety

Honeywell International ME Ltd,
Building 2, Emaar Business Park,
PO Box: 232362, Dubai, UAE

⚠ WARNING! This equipment should only be used after reading and understanding the manufacturer's instructions. Failure to follow instructions could result in serious injury or fatality.